Subject Index

A

Active avoidance 155
Activity 71, 145
Age 279
Aggression 47
Agonistic behavior 47
Akinesia 145
Alcohol 27
Allylglycine 57
Amphetamine response, increase of 175
Amphetamines 151, 185, 211, 215
d-Amphetamine 47, 155, 249
d-Amphetamine and physiostigmine induced lethality 295
Analgesia 21, 189
Antianxiety 267
Antidepressant activity 109
Antinociception 243
Anxiety 253
Apomorphine 155, 273, 279
Appetitive learning 205
Arousal 145
Aversions 303
Avoidance
— active 155
— conditioning 215, 295
— passive 155, 205

B

Baboons 57
Barbiturate dependence 137
Behavior 13
— genetics 83
— rotational 295
— stereotyped 155, 211
Behavioral teratogenesis 5
Benzodiazepines 199
Bioavailability 199
Blood ethanol level 133
Body weight 279
Brain aldehyde dehydrogenase 97, 167
Brain
— stimulation 39

C

Calcium 289
Caloric controls 27
Cardiorespiratory functions 13
Catalepsy 145, 295
Cats 227
Caudate 77
Caudate nucleus 193
"Cheese effect" 33
Children, learning disabled 185
Ciclazindol 109
Classical conditioning 155, 215
Clozapine 295
Cocaine 13, 47
COMT 63
Conditioned avoidance response 295
Convulsion 103
p-CPA 239
Cross tolerance 43
Cyclic AMP 193

D

DBH 63
Defensive behavior 47
Dependence 223
Deprenyl 33
Depression 33
Desmethylimipramine 163
Diazepam 199
Dihydroxyqhenylacetic acid 77
Dipotassium chlorazepate 123
Discriminated punishment 267
Divalent ions 223
Divided dose 123
Dopamine 33, 57, 77, 83, 145, 193, 227, 243, 273
Dopaminergic system 163
L-Dopa 47
Drug absorption 199
— admixed food 137
— discrimination 21
— interactions 199
— sensitivity 279

E

EEGs 13, 289
Electropupillogram 185
Epinephrine 39
Ergocornine 57
Ergolenes 227
Ergot alkaloids 57
Estradiol 211
Ethanol 5, 199, 239
— concentration 133
— consumption 27
— drinking 133
— intake 167
— preference 97
— reinforcement 133
Euphoria 83
Eye movement 13

F

Fear 267
Fentanyl 21
Fetal alcohol syndrome 5
Fixed-ratio schedules 133
Fluphenazine 295
Flurazepam 127
Frontal cortex 283

G

GABA 103
Gas chromatography 77
Globus pallidus 77
Guinea pigs 273, 279
Gunn rats 155

H

Haloperidol 83, 145, 273, 295
'Hang-over' effects 123
Heart rate 13
Hexobarbital responses, increase of 175
Homovanillic acid 77
5-HT 239
5-HT-, NA-uptake inhibitors 151
Human brain 77
Human subjects 1, 33, 63, 77, 83, 109, 123, 127, 185, 199, 253, 289
6-Hydroxydopamine 163
5-Hydroxytryptamine 71
Hyperactivity 193
Hyperkinesis 185
Hypermotility 151
Hyperthermia 239, 243, 249

I

Increased amphetamine response 175
Increased hexobarbital response 175
Insomnia 127
Intoxication 133
Intraventricular peptides 89
Isonicotinic acid hydrazide 103

L

Lateral hypothalamus 145
Learning
— appetitive 205
— disability 185
— memory 5
— one-trial 205
Lesioning 163
Lever-lifting behavior 89
Levodopa 33
Lithium 83, 289
Liver aldehyde dehydrogenase 97, 167
Locomotion 47
Long- acting neuroleptics 1
LSD 43

M

Manic-depressive 83
MAO 63
Matruation 279
Medial forebrain bundle 283
Medial thalamus 283
Memory 215, 289
— channels 215
6-Mercapto propionic acid 103
Methadone 273, 303
Methamphetamine 47
Methylphenidate 47, 83, 115, 127, 185

Metrazol 215
MFB lesion 167
— stimulation 167
Mice 47, 103, 211, 223, 243, 295
Model insomnia 127
Monkeys, Rhesus 13, 133
Monoamine oxidase 33
— inhibitors 33, 71
Mood 289
Morphine 189, 243, 237, 273, 283
— analgesia 223
— dependence 175
Motor activity 211
Motor incoordination 295
Multiple fixed-interval, fixed-ratio schedule 89

N

Nalorphine 223
Naloxone 223, 243
Naltrexone 303
Narcotic cue 21
Narcotics 273
Neuroleptics 193, 295
Nicotine 215
Noise 127
Noradrenaline 227
Norepinephrine 243
Nucleus accumbens 283

O

One-trial learning 205
Oral self-administration 303

P

Pain 253
Parkinson's disease 33
Passive avoidance 155, 205
Peripheral adrenergic interactions 109
Perphenazine 1
PGO waves 227
Pharmacokinetics 199
Phenylethlyamine 33
B-Phenylethylamine 211
Photosensitive baboons 57
Picrotoxin 103
Placebo 253
Plasma drug concentration 109
PNMT 39
Posterior cortex 283
Preaddict 303
Precipitated abstinence 223
Pregnancy 5
Progesterone 211
Prolactin 1
Propylene glycol 27
Prostaglandin E_2 295
Pseudococaine 13
Pseudoconditioning 155
Psychomotor stimulants 47

Q

Quinine 303

R

Rabbits 89
Rat brain 227
Rats 5, 21, 27, 39, 43, 71, 97, 115, 137, 145, 151, 155, 167, 175, 189, 193, 205, 215, 227, 239, 249, 267, 283, 295, 303
— pup 163
Reflex epilepsy 57
Repeated acquisitions 115
Respiratory rate 13
Reticular formation 145
Reward 39
Rotational behavior 295

S

Schizophrenia 1
Self-administration 13, 283, 303
Serial discrimination reversal learning 115
Serotonin 227
Set point 249
Sex differences 97, 175
Shuttle behavior 155
— box 205
— responses 215
Single daily dose 123
Situational factors 253
Sodium barbitone 205
Setreotyped behavior 155, 211
Stereotypies 273
Strain differences 97
Stress 27
Strichnyne 103
Subjective side effects 109
Substantia nigra 145
Supersensitivity 273

T

Tardive dyskinesia 273
Testosterone 211
Δ^9-Tetrahydrocannabinol 243
Thermoregulation 249
11-Thiol-11-desoxy Prostaglandin E_2 295
Thioridazine 295
T-Maze 205
Tolerance 43, 223, 239, 243
Triazolam 127
Tryptamine 71
Tuberculum olfactorium 283
Twins 63

V

Ventral noradrenergic tract 189

W

"Wet-dog" shakes 43
Withdrawal 205
Withdrawal signs of barbiturates 137

Advice to Authors

The illustrations that will appear in your contribution will be shown to best advantage if you follow the brief set of instructions below. Please read carefully. Thank you.

The Publisher

Preparation of Line Drawings

Illustration copy should be prepared to fit the format of the printed page (print area) so that 1 : 1 reproduction is possible. Where reduction is necessary, please state the desired scale.

Drawings are to be twice the final size and executed in indelible black ink.

Important points to note: thickness of lines, size of inscriptions, size of measuring points, adequate spacing of shaded and dotted areas.

Words should be in upper and lower case characters, not CAPITALS.

The following are optimal sizes as they appear in the journal:
Capital letters and numbers: 2 mm
Lower-case letters: 1.6 mm.



①





②

samples 1 to 5 show the original size and reduction × 50%

③



④

ABCDEFGHIJKLMNOPQRSTUVWXYZ
aabcdefghijklmnopqrstuvwxyz
1234567890 1·5° III IV VIII IX ∞ % ≈
[(=-+x÷ !?:" ",)] (A) (B) (a) (b)

⑤

ABCDEFGHIJKLMNOPQRSTUVWXYZ
aabcdefghijklmnopqrstuvwxyz
1234567890 1·5° III IV VIII IX ∞ % ≈
[(=-+x÷ !?:" ",)] (A) (B) (a) (b)

Selection of Illustration Material for Halftones (photographs, micrographs, X-rays, instrument traces etc.).

Photographs should be sharp, well-contrasted glossy prints of the original negative, trimmed at right angles. Halftone illustrations should be prepared to fit the format of the printed page (print area) so that 1 : 1 reproduction is possible. But if reduction is absolutely necessary, please state the desired scale.

Mark or crop marginal portions which are not required (at right angles, please).

Please see that illustrations that are to appear together are mounted accordingly as plates and that they correspond. Also they should not exceed the print area of the page, including room for the legend.

With X-rays, please indicate the significant parts on the back of the copy, or on an overlay.

Inscriptions, marks and scale lines should preferably be drawn neatly in black ink in an appropriate size on the face of the illustrations. Inscriptions should be about 3 mm high. Where Letraset is used, please handle it carefully and protect the photographs with an overlay.



Handbuch der experimentellen Pharmakologie

Handbook of Experimental Pharmacology

Heffter-Heubner/New Series
Herausgeber: G.V.R. Born, O. Eichler, A. Farah, H. Herken, A.D. Welch

BAND 45
TEIL I UND II

Drug Addiction

Editor: W.R. Martin

This two-volume work addresses the problem of drug addiction from several points of view which are quite unique and different from other areas of pharmacology. In two individual parts all major scientific, medical and social issues are treated that bear on problems of drug abuse. The abuse of narcotic analgesics, weak analgesics, amphetamines, barbiturates, alcohol, LSD-like hallucinogens and marijuana is discussed. Attempts are made to identify the major social issues that have given rise to concern about drug abuse. Further, attention has been given to the chemotherapy and psychotherapy of narcotic addiction. The basic modes of actions of drugs of abuse are reviewed. Methods for identifying drugs with abuse potential are also described and there are discussions of the principles underlying these methods and their validity. There are discussions of the pathophysiology and psychopathology of addictive processes. Finally, the literature concerning the modes and sites of actions of narcotic analgesics, weak analgesics, barbiturates, alcohol, amphetamines and LSD-like hallucinogens is reviewed in detail in man and in animals with the end of understanding why these drugs are abused, what pathologic changes their abuse causes, and how a rational attack on treating these diseases can be formulated.

Drug Addiction I

Morphine, Sedative-Hypnotic and Alcohol Dependence

With contributions by H.T. Conrad, H.F. Fraser, C.W. Gorodetzky, D.R. Jasinski, P. Kielholz, L. Ladewig, W.R. Martin, N.K. Mello, J.H. Mendelson, J.W. Sloan, C.M. Smith

29 figures. Approx. 720 pages. 1977
Cloth DM 225,–; US $ 103.50
Prepublication price Cloth DM 180,–; US $ 82.80
ISBN 3-540-08170-4

Contents: Problems of Drug Dependence.–General Problems of Drug Abuse and Drug Dependence.–Morphine Dependence.–Neuropharmacology and Neurochemistry of Subjective Effects, Analgesia, Tolerance and Dependence Produced by Narcotic Analgesics.–Assessment of the Abuse Potential of Narcotic Analgesics in Animals.–Assessment of the Abuse Potentiality of Morphine Like Drugs (Methods Used in Man).–Psychiatric Treatment of Narcotic Addiction.–Chemotherapy of Narcotic Addiction.–Detection of Drugs of Abuse in Biological Fluids.–Sedative-Hypnotics and Alcohol Dependence.– The Pharmacology of Sedative-Hypnotics, Alcohol, and Anesthetics: Sites and Mechanisms of Action.–The Assessment of the Abuse Potentiality of Sedative-Hypnotics. (Depressants) (Methods Used in Animals and Man).–Clinical Aspects of Alcohol Dependence.–Abuse of Non-Narcotic Analgesics.

Drug Addiction II

Amphetamine, Psychotogen and Marihuana Dependence

With contributions by E. Änggard, W.L. Dewey, J.D. Griffith, L.-M. Gunne, L.S. Harris, T. Lewander, W.R. Martin, R.J. Razdan, J.W. Sloan

14 figures. Approx. 650 pages. 1977
Cloth DM 190,–; US $ 87.40
Prepublication price Cloth DM 152,–; US $ 70.00
ISBN 3-540-08334-0

Contents: Amphetamine and Psychotogen Dependence.–General Pharmacology of Amphetamine-Like Drugs.–Pharmacokinetics and Metabolism.–Effects of Amphetamine in Animals.–Effects of Amphetamine in Humans.–Amphetamine Dependence;Clinical Features.–Pharmacology and Classification of LSD-like Hallucinogens.–Marihuana Dependence.–Cannabis. Its Chemistry, Pharmacology, and Toxicology.–Author index.–Subject index.

Prices are subject to change without notice

Springer-Verlag
Berlin
Heidelberg
New York

1232/4/1

NEW FROM ISI®

INDEX TO SCIENTIFIC & TECHNICAL PROCEEDINGS™

There has never been an effective way to search the proceedings literature. Until now.

Now, ISI introduces the Index to Scientific & Technical Proceedings—the first multidisciplinary tool to conference proceedings and the individual papers published in them—the effective answer to the problem of searches in the proceedings literature.

Current and Comprehensive . . .

ISTP™ indexes 3,000 proceedings annually—over 80,000 individual papers—from conference proceedings published in book form and in the journal literature. Broad coverage includes: life sciences • clinical medicine • engineering and applied sciences • physical and chemical sciences • biological, environmental and energy sciences. **ISTP** is issued monthly and cumulated twice a year, so you get the index to proceedings shortly after their publication.

. . . and Effectively Indexed.

An unequaled system of indexes offers you effective searches with a minimum of starting information. You can locate complete entries of proceedings and papers—in an easy-to-read contents page format—with just a speaker's name . . . a sponsor . . . even a speaker's organizational affiliation. Or by conference topic, title words, or geographical location. And you get all the data you need to order books or request interlibrary loans. You even get first authors' addresses for reprint requests.

ISI's Index to Scientific & Technical Proceedings offers an effective new approach to locating the scientific and technical information in conference proceedings. Subscriptions will begin in 1978, at $500 annually. Use the coupon below to enter your order today.

☐ Please enter my subscription to **Index to Scientific & Technical Proceedings™** for 1978, at $500 annually.

☐ Please send more information.

☐ Please send Air Mail
Europe, South & Central America, add $100
All other locations, add $125
(Air Mail not available in U.S.A., Canada or Mexico)

Name _____ Title _____

Organization _____ Dept _____

Address _____

City _____ State/Province _____ Zip code/Zone _____

Country _____ Telephone _____

☐ Payment enclosed ☐ Purchase order to follow ☐ Bill organization

200-1086 ©1978 ISI

ISI® Institute for Scientific Information®
325 Chestnut Street, Philadelphia, Pa. 19106, U.S.A., Tel: (215) 923-3300, Cable: SCINFO, Telex: 84-5305
European Office
132 High Street, Uxbridge, Middlesex, U.K., Tel: Uxbridge 30085, Telex: 933693



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

200
170
140
DIN 19 051
70
84
100
120